

Waterbody + Tributary 100ft Buffer 0.55 Miles

High-Resolution Land Cover Summary







"Top-Down: A traditional land cover mapping approach - land cover is mapped as the uppermost land cover class.
"Bottom-Up: A new land cover mapping approach - land cover is mapped as the lowermost land cover class. This approach results in improved mapping of features overlapped/obscured by other feats.

See 1884.64 Lill Separation 1 and Cover 210. Peopor fermon detail.

Waterbody 250ft Buffer 0.3 Miles

High-Resolution Land Cover Summary






^{*}Top Down: A traditional land cover mapping approach - land cover is mapped as the uppermost land cover class.


*Bettom-Up: A new land cover mapping approach - land cover is mapped as the lowermost land cover class. This approach results in improved mapping of features overlapped/obscured by other feats

See LVM SML Hits-Resolution Land Cover 2018 Recort for more detail.

Tributary 100ft Buffer 0.55 Miles

High-Resolution Land Cover Summary






*Top Down: A traditional land cover mapping approach - land cover is mapped as the uppermost land cover class.


*Bottom-Up: A new land cover mapping approach - land cover is mapped as the lowermost land cover class. This approach results in improved mapping of features overlapped/obscured by other features.

*Bottom-Up: A new land cover mapping approach - land cover is mapped as the lowermost land cover class. This approach results in improved mapping of features overlapped/obscured by other features.

Waterbody 100ft Buffer 0.3 Miles

High-Resolution Land Cover Summary





Watershed 776 acres 0.8 Miles

High-Resolution Land Cover Summary

